



Roof Pmax=70kg/m2  
V 1.0




Date	rev.	Description	Sheet
		House F3939-28 Gina	1
		Drawing Views-kuvat-sedd	1:100
		Material 28x135	Date 07.12.2015
		Drawer K.K.	File F3939-28 Gina Views.dwg





NB!!! PLACE FIRST WALLBEAM ROUND OVER THE FLOORBEAMS FRAME 15mm  
 NB!!! FIX THE HALF BEAMS INTO FLOORBEAMS WITH SCREWS 4.5X90

Date rev. Description




House	F3939-28 Gina	Sheet	2
Drawing	Floorbeams - Lattiapalkki - Golvbjälkar	Scale	1:35
Material	4,5X90	Date	03.12.2015
Drawer	K.K.	File	F3939-28 Gina Floorbeams.dwg




House	F3939-28 Gina	Sheet	3
Drawing	Groundplan-Pohjapiirustus-Grundplan	Scale	1:35
Material	28x135	Date	03.12.2015
Drawer	K.K.	File	F3939-28 Gina.dwg


Date rev. Description




Date rev. Description




House	F3939-28 Gina	Sheet	4
Drawing	Grundplan-Pohjapiirustus-Grundplan	Scale	1:35
Material	28x135	Date	03.12.2015
Drawer	K.K.	File	F3939-28 Gina.dwg




Date    rev.    Description




House	F3939-28 Gina	Sheet	5
Drawing	Grundplan-Pohjapiirustus-Grundplan	Scale	1:35
Material	28x135	Date	23.01.2012
Drawer	K.K.	File	F3939-28 Gina.dwg




























Date rev. Description

			
House	F3939-28 Gina	Sheet	6
Drawing	Grundplan-Pohjapiirustus-Grundplan	Scale	1:35
Material	28x135	Date	23.01.2012
Drawer	K.K.	File	F3939-28 Gina.dwg

















Date rev. Description


			
House	F3939-28 Gina	Sheet	7
Drawing	Grundplan-Pohjapiirustus-Grundplan	Scale	1:35
Material	28x135	Date	23.01.2012
Drawer	K.K.	File	F3939-28 Gina.dwg

Pos	F3939-28 Gina	Nr. Pcs.	Profile (mm)	L (mm)
001		2	28x135	4700
002		2	28x135	4400
003		2	28x135	4100
004	 +1= EXTRA PROFILE	35+1	28x135	4100
005		1	28x68	4100
006		2	28x135	3467
007		2	28x135	2600
008		2	28x135	1733
009		10	28x135	1545
010		2	28x68	1335
011		28	28x135	1335
012		2	28x128	867
M	BOARD FOR ASSEMBLING - ASENNUSLAUTA - SLAGBRÄDE 	2	28x135	300
W1-1		1	28x135	668
W2-1		1	28x135	668
FB2	FLOORBEAMS - LATTIAPALKIT - GOLVBJÄLKAR	7	45x90	3780
FB1		2	45x90	3870
RB1	ROOFBEAMS - KATTO-ORRET - TÄKASAR 	5	43x140	4700
F	FLOORBOARD - LATTIALAUTA - GOLVBRÄDE  88mm or -tai- eller 114mm	34+1 44+1	19x114 19x88	3840 3840
R	ROOFBOARD - KATTOLAUTA - TAKBRÄDE  88mm or -tai- eller 114mm	88+1 108+1	19x114 19x88	2400 2400
FF	SKIRTING SLAT-LATTIALISTA-GOLVLIST 		19x35	14m
GB	GABLE BOARD-KAAPELILAUTA-GAVELBRÄDA 	4	19x120	2475
EB	EAVE BOARD - RÄYSTÄSLAUTA - TAKFOTSBRÄDE 	2	19x90	4700
ES	EAVE SLAT - RÄYSTÄSLISTA - TAKFOTSLIST 	2	30x40	4700
RFF	ROOF FELT FILLET-KAAPELILAUDAN PEITELAUTA BRÄDE OVANPÅ GAVELBRÄDE 	4	19x90	2485





Pos	F3939-28 Gina		Nr. Pcs.	Profile (mm)	L (mm)
D	DECORATIVE - KORISTE - PRYDNADS		2	19x90	200
SS1	SIDEWALL SKIRTING SLAT - KATTOLISTA-PÄÄDYT		2	18x30	3844
SS2	-TAKLIST-GAVLAR		4	18x30	400
	NAILS-NAULAT-SPIKAR FOR FLOOR & ROOF-KATTO & LATTIA-GOLV & TAK		755	2,5	60
	NAILS-NAULAT-SPIKAR FOR FLOORSLAT-LATTIALISTA-GOLVLIST FOR SIDEWALL SKIRTING SLAT - KATTOLISTA-PÄÄDYT-TAKLIST-GAVLAR		52	2,0	40
	SCREWS-RUUVIT-SKRUVAR FOR FIXING HALF BEAMS-KIINNITYS PUOLIKKAAT PALKIT - FÖR ATT FÄSTA HALVA VÄGGPROFILER		10	4,5	90
	SCREW - RUUVIT - SKRUVAR FOR GABLE BOARD - KAAPELILAUTA - VINDBRÄDE FOR EAVEBOARD & EAVESLAT-RÄYSTÄSLAUTA & RÄYSTÄSLISTA-TAKFOTSBRÄDE & TAKFOTSLIST		55	3,5	50
	SCREW - RUUVIT - SKRUVAR FOR ROOF FELT FILLET-KAAPELILAUDAN PEITELAUTA - TAKBRÄDE FÖR VINDBRÄDE		16	3,5	35
	DOUBLEDOOR FRAME SET-TUPLAOVEN KARMIT-DUBBELDÖRREN RAMAR		1		
	DOOR LATCH (CLOSER)-OVEN SALPA-DÖRR SPÄRREN		1		
	DOOR HINGES-OVEN SARANAT-DÖRR GÅNGJÄRN		4		
	WINDOW CROSSES-IKKUNARISTIKKO-SPRÖJS		1		
	WINDOW HANDLE-IKKUNA KAHVA-FÖNSTER HANDTAG		1		
	DOOR - OVI - DÖRR 1420x1930 AST_GVP		P.P.		
			1	1420	1930
			1	640	1000
	Window 1000x640 (left) 1pc AST ISO KP				




Detta är ett förslag för hur man kan placera plintarna (100- 200 mm i diameten) för golvjäkklaget. Golvjäkkarna är med i byggsatsen, men inte plintarna. Använder man exempelvis 500-600mm långa murblock så kan man halvera antalet punkter. Lägg fuktskyddande papp mellan betong och trä

Tämä on ehdotus siitä, miten (100-200 mm läpimitäiset) jalat voidaan sijoittaa alapohjaa varten. Lattapalkit ovat rakennussarjassa, mutta jalat ei ole. Kun käytetään esimerkiksi 500-600 mm pitkiä harkkoja, voidaan pisteiden määrä puoltaa. Aseta betonin ja puun välillä kosteusdella suojaava palkki

A proposal for placing plinths (100-200 mm in diameter) for floor beams. Floor beams are provided in the kit but plinths are not included. For example, by using 500-600 mm long masonry units, one can reduce the number of points 50%. Place cardboard between the concrete and wood to protect from moisture

Date rev. Description



House	F3939-28 Gina	Sheet	11
Drawing	FOUNDATION PLAN - PLINTPLAN	Scale	1:35
Material		Date	03.12.2015
Drawer	K.K.	File	F3939-28 Gina.dwg